

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

of the investigator in the field. It is certain that such an enterprise would arouse enthusiasm at home, and command respect abroad.

Mr. B. J. Lossing has recently published a paper on the proposed celebration, eight years hence, of the four hundredth anniversary of the discovery of America. We refer to it now, not to discuss this project, but to call attention to an historical question of such interest that it is worth a thorough investigation. Among mistakes which might almost be classed as popular superstitions must be placed the wide-spread notion that the rotundity of the earth was nearly unknown until comparatively recent times. Mr. Lossing goes so far as to say that the scholars in the time of Columbus ridiculed the idea of the earth being globular, and in this he only echoes the popular belief on the subject. Now, the fact is, that the form of the earth has been as well known as it is now from the earliest historic times, and has never been denied by a scientific writer on scientific grounds. Through twenty centuries of discussion among rival systems and theories, this one has stood undisputed as the fundamental fact of astronomy. Nor has it ever been the subject of religious controversy, as the Copernican theory was. Under these circumstances, it is a question of interest, whether a state of things of which the astronomers never heard existed in Spain four centuries ago; whether, in fact, there are books or documents of any kind showing that men who then ranked as scholars believed the earth's surface to be flat. We suggest the subject to historical investigators.

It must, of course, be understood that we are now speaking of professed scholars, in a position to be consulted by the authorities, and not of the ignorant masses. It is quite likely that Queen Isabella's chambermaid may have ridiculed the idea of the earth being round, and that her spiritual confessor may have looked upon astronomical theories generally as the work of men very dangerous to orthodox religion. But if the knowledge of

an epoch is that of the majority, where shall we stop? It might be found, that, at the present day, the majority of the human race believes the earth to be flat. We leave our readers to picture in their minds an encyclopedia of the thirtieth century, in which it will be stated, that although the astronomers of the nineteenth century knew of the motion of the earth, yet their more numerous and influential contemporaries, the theologians, as represented by one of their leaders named Brother Jasper, believed it to be at rest.

THE acquittal of General Cesnola of the charge of libel, in the case so long before the courts, is probably satisfactory to the trustees of the Metropolitan museum of art, but is far from satisfactory from a scientific stand-point. So far as the trial related to libel, it made no difference to science which side won; but it does make a difference when it appears, that, by legal twists and turns, the vital spot was not touched. As the result stands before the scientific world to-day, the curator, while acquitted of the charge of libel in his hot reply to a former business agent, is still, directly or indirectly, responsible for the manipulations of ancient sculptures in the museum under his charge. One good result may follow from the Cesnola trial. In future, fragmentary objects in museums will probably either be left as found, or else so joined, that, while holding their relative positions, they will still show that they are fragments. The so-called restorations are too often the conceptions of the officers in charge; and, while Cesnola has followed a plan often sanctioned by supposed requirements of art, it is one which will never be permitted by science.

LETTERS TO THE EDITOR.

*** Correspondents are requested to be as brief as possible. The writer's name is in all cases required as proof of good faith.

Tropical cyclones.

In Mr. Davis's paper on whirlwinds, cyclones, etc., in *Science*, vol. ii. pp. 758-761, I notice the use of the term 'equatorial cyclone,' which should be discontinued, as I have already had occasion to state before.¹ There being no deflection of the winds from the normal to the isobars on the equator, there can be no cyclone there; and it is, I think, generally ad-

¹ Nature, vol. xix. p. 517.

mitted by meteorologists, that in the latitudes 0°-6° the deflection is also too small to admit of cyclones; and really I know of none. And even outside India, and the seas around it, there are scarcely cyclones in latitudes lower than 10°.

Thus, what Mr. Davis calls 'equatorial' should be called 'tropical' cyclones. If anybody wishes to mention 'equatorial cyclones,' let him first prove their existence. So long as this is not done, meteorologists having a mind for exact scientific terms will hold to my opinion. A. Woeikof.

St. Petersburg, Jan. 7, 1884.

I shall be well pleased if so distinguished a meteorologist as Dr. Woeikof finds no other points needing correction in my papers on storms than this one. That I fully agree, as to the facts, with him and with Dr. Taylor, who first, so far as I know, states this matter in connection with its cause, is shown in my seventh paper (this volume, p. 40); but, while my use of the objectionable term was accidental rather than deliberate, there is, perhaps, little to choose between 'equatorial' and 'tropical,' both of which occur in this connection in my papers: for, if the first apply in strictness only to points in latitude 0°, the second is equally limited in its exact meaning to second is equally limited in the Galact Algorithms in latitude 23½°; and if 'tropical' has come to mean 'within or between the tropics,' so 'equatorial' may mean 'near the equator.' Tropenzone of the Germans is not to be translated 'tropical zone, but 'torrid zone;' and in English, 'tropical' should not be applied in an exact nomenclature to the equatorial low pressures of the doldrums, as in Buchan's writings, but rather to the high pressures of the horse-latitudes, as Ferrel uses it; and 'tropics,' when properly rendered into German, would be wendekreisen, or it might be paraphrased into die polargrenzen der passate. Inasmuch, then, as the truly tropical belts of the ocean are best characterized by regions of high pressure, free from cyclonic conditions, except where storms from lower latitudes cross them near their western shores; and as the inter-tropical rains of the doldrums are not called 'tropical,' but 'equatorial,' even when off of the equator, and by Dr. Woeikof himself,—it can hardly be considered a serious error to speak of the cyclones, which begin in the doldrums, as equatorial also.

Cambridge, Jan. 30, 1884.

W. M. DAVIS.

Osteology of the cormorant.

Mr. Jeffries' answer in Science (iii. 59), to my letter in a former number of this paper (ii. 822), caused me genuine surprise. His suggestion that the occipital style of the cormorant 'is the ossified tendon of some of the extensor muscles of the neck,' made in a former communication (ii. 739), is here, apparently, announced as his conviction, and Selenka is introduced to sustain the statement. Now, I am informed by Mr. Jeffries, that, "in view of such eminent authority, it would seem that something more than simple denial is required to upset a statement accepted by anatomists for many years;" and a few lines farther on, I am said to acknowledge my mistake, because I ignored the point. Permit me to say, that nothing of the kind has been accepted by anatomists for many years. I met this statement by a simple denial, in order to save space in the columns

¹ On tropical hurricanes (Brit. assoc. report, 1852, pt. 2, 31). Herschel used this in his Meteorology, but failed to do justice to Taylor's explanation of how a deflective force arises from the earth's rotation, and omits mention of the effect of the conservation of areas, which Taylor recognizes as of essential importance. of Science; but, if Mr. Jeffries must be informed as to what the occipital style of the cormorant is, I would inform him that this bone is not an ossification in any tendon of the extensors of the neck, because it is situated, as we know, in the median plane of the skeleton, at a mid-point on the occipital ridge. The tendons of the extensors in a bird's neck, which are inserted at the occiput, are in pairs, their insertion being bilateral; and their tendons are never inserted in the median plane: consequently this style cannot be an ossification of any of them. On the contrary, it is an ossification of the fascia between the extensors of the neck and what may be compared

to the ligamentum nuchae.

As Mr. Jeffries seems to be anxious about the position in which I drew this occipital style, I would call his attention to the fact that it is shown as occupying its *proper site*, only tipped up somewhat, as it was on my dried skull. Such license is perfectly permissible in anatomical delineation, and is seen in the illustrations throughout the literature of anatomy. It often shows the parts to better advantage; and, in structures as well known as this style is, no explanation is necessary. Acquainted, as I am, with the anatomy of this 'nuchal style' and its anatomical relations, I must again acknowledge that I am still ignorant of the *physiology*, or really the function, of this style, or why it should occur in a cormorant and not in other birds nearly related.

As to Mr. Jeffries' concern at my not being, to his mind, thoroughly informed upon the homologies of the patella in birds, I would invite his attention to a paper of mine written some time before my 'Osteology of the cormorant' appeared. To show that I have always agreed with the eminent authorities he alludes to for my benefit, in the co-existence of a patella and an elongated cnemial process of the tibia in most divers, I refer to my article entitled 'The number of bones at present known in the pectoral and pelvic limbs of birds,' in which I say, "I know of but two free bones that occur about the knee-joint. The first of these is the patella; and this may co-exist with the cnemial ridge of tibia, as in Colymbus (Owen). The other is a free sesamoid found in some birds in a notch at the head of the fibula (Spectyto)" (Amer. nat., November, 1882, 894). I repeat, that 'I find myself misquoted' by Mr. Jeffries, in his remarks upon my paper, 'more than once;' that is to say, he has failed to include statements falsely attributed to my article in the customary quotationmarks. I do not say, (1) that I figure this style ' in situ, nor (2) positively affirm that it has never been figured before (ii. 739), but do say, "I do not believe we have a figure showing the site of this bonelet" (ii. 640). Selenka's and Eyton's figures had slipped my mind for the moment, as their works had not been available for a year or more. Furthermore (3), I do not refer to Professor Owen to have him authorize any thing in regard to Podiceps, but only to the patella of the loon, as any one accustomed to anatomical reading can see by referring to my article on the 'Osteology of the cormorant' (ii. 640).
R. W. Shufeldt.

Upperglow of the skies in relation to halos and coronas.

These striking and beautiful atmospheric phenomena, which have manifested themselves over the entire globe, have attracted much attention, and been minutely described by correspondents in various countries. But there is one feature, which, although incidentally noticed by some writers, has attracted but little attention. I allude to the fact, that, wherever